

PRINCIPAL PARTICULARS	
Vessel type	General cargo
Flag	PANAMA
Call Sign	HO8267
IMO	8512126
MMSI	374 304 000
Year Built	1986
Builder	Ferus Smit Foxhol Holland / yard number 243
Material Hull & supersructure	Steel
Length Overall	64,2 m
Breadth	11,58 m
Depth	4,00 m
Draft	3,59 m
Classification	RINA/PANAMA A1 + A2 + A3
Gross tonnage	851 T
Net tonnage	490 T
Displacement	1741 T
PERFORMANCE	
Maximum speed	10,8 knots
Average speed	8 knots
Type of Fuel	Marine Gas Oil
Consumption	1600 L/24 hours on average
CARGO CAPACITIES	
Deadweight	1280 Tons
Maximum deck load	1200 M/Tons
Hatch cover	Lifting type 40,80 m x 8,00 m
Cargo hold dimensions	43,10 m x 10,12 m x 4,63/2,72 m - 436 m2
Deck space	436 m2
Deck strength	12 T/m2 tank top - 1,35 T/m2 tank top
PROPULSION SYSTEM	
Main Engine	Caterpillar 3508 TA - 570 KW
Auxiliary Engines	Valmet 311 DG Stamford UCM 224 D2 26 KVA Valmet 420 DSG Stamford UCM 224 G1 65 KVA
Gear box	Reintjes WAV 550 B reduction 5,5:1
Rudder type	Becker Rudder
TANK CAPACITIES	
Marine Gasoil Oil	63 m3
Waste Oil	2,85 m3
Lube Oil	6,44 m3
Ballast	400 T
Fresh water	21 m3

RADIO & NAVIGATION EQUIPMENTS	
SSB	Sailor RE2100 - Sailor RM2150 HF
VHF	2 x Sailor RT2048 - Sailor RM2042 DSC
VHF GMDSS	2 x RM2150
Echo Sounder	Furuno FE-700
Gyro Compass	1 unit
Radars	2 x Furuno FR-1505 - Furuno FAR-2117 ARPA
Radars Transponders SART	2 x Jotron TRON 9
GPS Compass	Furuno SC-502
Auto Pilot	Seapilot 75
Navtex Receiver	Furuno NX-500
DGPS Navigator	Furuno GP-150
AIS	Furuno FA-100
INMARSAT C	Sailor 6110
INMARSAT MINI C	Furuno Felcom16
SSAS	Pole Star
EPIRB	McMurdo E5
SAFETY EQUIPMENTS	
Fire system	CO2 135 kg
Fire alarm unit	Lismar OY
Fire pump	1 pump X 45 CBM
Fire extinguishers	12 units
Firemen outfit	2 units
Emergency Fire Pump	1 X 25 CBM/H
Internal	CO2 System in engine room
Life Rafts	2 x 6 DSB LR 97 inflatable type
MOB boat	Neuvisa

Particulars believed to be correct but not guaranteed Owners reserve the right to amend the specifications without notification.



LIEBHERR 400

5

7

8

11